

***SPEED
ALLOYS***

***STAINLESS STEEL
SHEETS & PLATES***

www.speedalloys.co.uk



Sheets and plates

Cold rolled sheets

Tolerances: EN 10259

Certificate: EN 10204/3.1

Hot rolled sheets

Tolerances: EN 10051 under 15 mm
EN 10029/KL B from 15 mm

Certificate: EN 10204/3.1

Cold rolled sheets
Stainless and acid proof,
Annealed and pickled, finish 2b

Tolerances: EN 10259
Certificate: EN 10204/3.1

Dimension	Kg/pc	EN	1.4301	1.4404
			Articleno.	Articleno.
2000 x 1000 x 0,50	8,00		05000	05001
2500 x 1250	12,50		05002	05003
2000 x 1000 x 0,60	9,60		05004	05005
2500 x 1250	15,00		05006	05007
2000 x 1000 x 0,70	11,20		05008	05009
2500 x 1250	17,50		05010	05011
2000 x 1000 x 0,80	12,80		05012	05013
2500 x 1250	20,00		05014	05015
2000 x 1000 x 0,90	14,40		05016	05017
2500 x 1250	22,50		05018	05019
3000 x 762 x 1,00	18,30		05020	05021
2000 x 1000	16,00		05022	05023
3000 x 1000	24,00		05024	05025
2500 x 1250	25,00		05026	05027
3000 x 1250	30,00		05028	05029
3000 x 1500	36,00		05030	05031
2000 x 1000 x 1,20	19,20		05032	05033
2500 x 1250	30,00		05034	05035
3000 x 1250	36,00		05235	11026
3000 x 1500	43,20		05036	05037
3000 x 1000	36,00		05040	05041
2500 x 1250	37,50		05042	05043
3000 x 1250	45,00		05044	05045
3000 x 1500	54,00		05046	05047
4000 x 2000	96,00		31693	820000
2000 x 1000 x 2,00	32,00		05048	05049
3000 x 1000	48,00		05050	05051
2500 x 1250	50,00		05052	05053
3000 x 1250	60,00		05054	05055
3000 x 1500	72,00		05056	05057
4000 x 1500	96,00		26850	26858
4000 x 2000	128,00		26852	26860
2000 x 1000 x 2,50	40,00		05058	05059
2500 x 1250	62,50		05060	05061
3000 x 1500	90,00		05062	05063
4000 x 2000	160,00		26853	26861
2000 x 1000 x 3,00	48,00		05064	05065
3000 x 1000	72,00		05066	05067
2500 x 1250	75,00		05068	05069
3000 x 1250	90,00		05070	05071
3000 x 1500	108,00		05072	05073
4000 x 1500	144,00		26851	26859
4000 x 2000	160,00		26854	26862

*Cold rolled sheets
Stainless and acid proof,
Annealed and pickled, finish 2b*

*Tolerances: EN 10259
Certificate: EN 10204/3.1*

Dimension	Kg/pc	EN	1.4301	1.4404
			Articleno.	Articleno.
2000 x 1000 x 4,00	64,00		05074	05075
2500 x 1250	100,00		05076	05077
3000 x 1500	144,00		05078	05079
4000 x 2000	256,00		26855	26863
2000 x 1000 x 5,00	80,00		05080	05081
2500 x 1250	125,00		05082	05083
3000 x 1500	180,00		05084	05085
4000 x 2000	320,00		26856	26864
2000 x 1000 x 6,00	96,00		05086	05087
2500 x 1250	150,00		05088	05089
3000 x 1500	216,00		05090	05091
4000 x 2000	384,00		26857	26865
2000 x 1000 x 8,00	128,00		19531	820000
2500 x 1250	200,00		19532	820000
3000 x 1500	288,00		19533	820000

Cold rolled sheets
 Stainless and acid proof,
 Annealed and pickled, finish 2b, one side coated

Tolerances: EN 10259
 Certificate: EN 10204/3.1

Dimension	Kg/pc	EN	1.4301	1.4404
			Articleno.	Articleno.
2000 x 1000 x 0,80	12,80		14019	820000
2000 x 1000 x 1,00	16,00		14001	14084
2500 x 1250	25,00		14002	820000
3000 x 1500	36,00		14003	820000
2000 x 1000 x 1,20	19,20		14085	820000
2500 x 1250	30,00		14075	820000
3000 x 1500	43,20		14076	820000
2000 x 1000 x 1,50	24,00		14004	14077
2500 x 1250	37,50		14005	14078
3000 x 1500	55,00		14006	14079
4000 x 2000	96,00		31694	820000
2000 x 1000 x 2,00	32,00		14007	14080
2500 x 1250	50,00		14008	14073
3000 x 1500	72,00		14009	14074
4000 x 1500	96,00		26870	820000
4000 x 2000	128,0		26871	26877
2000 x 1000 x 2,50	40,00		14010	820000
2500 x 1250	62,50		14011	14087
3000 x 1500	90,00		14012	14088
4000 x 2000	160,00		26872	26878
2000 x 1000 x 3,00	48,00		14013	14081
2500 x 1250	75,00		14014	14082
3000 x 1500	108,00		14015	14083
4000 x 2000	192,00		26873	26879
2500 x 1250 x 4,00	100,00		14086	820000
4000 x 2000	256,00		26874	26880
2000 x 1000 x 5,00	80,00		14017	820000
2500 x 1250	125,00		14018	820000
4000 x 2000	320,00		26875	26881
4000 x 2000 x 6,0	384,00		26876	26882

*Cold rolled sheets
Stainless and acid proof,
Polished/Scotch Brite, one side coated*

*Tolerances: EN 10259
Certificate: EN 10204/3.1*

Dimension	Kg/pc	EN	1.4301 Polished gritt 240	1.4301 Scotch Brite	1.4404 Scotch Brite
			Articlono.	Articlono.	Articlono.
2000 x 1000 x 0,70	11,20		05092	19500	15203
2500 x 1250	17,50		05251	19501	820000
2000 x 1000 x 0,80	12,80		05094	19502	820000
2500 x 1250	20,00		05096	19503	820000
3000 x 762 x 1,00	18,30		820000	820000	820000
2000 x 1000	16,00		05098	19504	15180
3000 x 1000	24,00		05100	820000	820000
2500 x 1250	25,00		05102	19505	15204
3000 x 1250	30,00		05104	19506	820000
3000 x 1500	36,00		05217	19507	820000
2000 x 1000 x 1,20	19,20		05106	19508	15206
3000 x 1000	28,80		22064	820000	820000
2500 x 1250	30,00		05108	19509	820000
3000 x 1250	36,00		05252	820000	15207
3000 x 1500	43,20		14016	19510	820000
2000 x 1000 x 1,50	24,00		05112	19511	820000
2500 x 1250	37,50		05114	19512	820000
3000 x 1250	45,00		05116	19513	820000
3000 x 1500	54,00		05118	19514	820000
2000 x 1000 x 2,00	32,00		05120	19515	15205
2500 x 1250	50,00		05122	19516	820000
3000 x 1250	60,00		05124	820000	820000
3000 x 1500	72,00		05126	19517	820000
4000 x 2000	128,00		31295	820000	820000
2000 x 1000 x 2,50	40,00		05219	820000	820000
2500 x 1250	62,50		05236	820000	820000
3000 x 1500	90,00		05334	820000	820000
2000 x 1000 x 3,00	48,00		05128	19518	820000
2500 x 1250	75,00		05130	19519	820000
3000 x 1500	108,00		05132	19520	820000
2000 x 1000 x 4,00	64,00		05134	05135	820000
2500 x 1250	100,00		15262	820000	820000
3000 x 1500	144,00		05136	05137	820000
3000 x 1500 x 5,00	180,00		05253	820000	820000
2500 x 1250 x 6,00	150,00		05138	05139	820000

Cold rolled sheets
Stainless,
Bright annealed, finish 2r, one side coated

Tolerances: EN 10259
Certificate: EN 10204/3.1

Dimension	Kg/pc	EN	1.4301
Articleno.			
2000 x 1000 x 0,70	11,20		15105
2500 x 1250 x 0,70	17,50		15106
2000 x 1000 x 0,80	12,80		15107
2500 x 1250 x 0,80	20,00		15108
2000 x 1000 x 1,00	16,00		05141
2500 x 1250 x 1,00	25,00		05142
3000 x 1500 x 1,00	36,00		15211
2000 x 1000 x 1,20	19,20		15183
2500 x 1250 x 1,20	30,00		05143
2000 x 1000 x 1,50	24,00		05239
2500 x 1250 x 1,50	37,50		05240
3000 x 1500 x 1,50	54,00		15212
2500 x 1250 x 2,00	50,00		05242

Cold rolled sheets
Stainless,
Textured, bright annealed, finish 2r, one side coated

Tolerances: EN 10259
Certificate: EN 10204/3.1

Dimension	Kg/pc	EN	1.4301	1.4301	1.4301	1.4301
			Type 2WL	Type 2WL STFT	Type 5WL	Type 7GM
			Articleno.	Articleno.	Articleno.	Articleno.
2500 x 1000 x 0,50	10,00		05224	820000	820000	05227
2500 x 1250	12,50		820000	820000	05221	820000
2500 x 1000 x 0,70	14,00		05225	820000	820000	15103
2500 x 1250	17,50		820000	820000	05222	820000
2500 x 1000 x 0,90	15,90		820000	820000	820000	05228
2000 x 1000 x 1,00	16,00		820000	15169	05144	05234
2500 x 1000	20,00		05226	15168	820000	820000
2500 x 1250	25,00		820000	820000	05223	820000
2000 x 1000 x 1,20	19,20		820000	820000	05241	05231
2000 x 1000 x 1,50	24,00		820000	820000	15184	05233
2500 x 1000	30,00		820000	820000	820000	05229
2500 x 1250	31,30		820000	820000	05145	820000
2500 x 1250	37,50		820000	820000	05232	820000

*Cold rolled coils,
Stainless,
Annealed and pickled, finish 2b*

*Tolerances: EN 10259
Certificate: EN 10204/3.1*

Dimension	EN	1.4301
Articleno.		
1000 x 1,00		18051
1250		18056
1500		18061
1000 x 1,20		18066
1250		18067
1500		18068
1000 x 1,50		18052
1250		18057
1500		18062
1000 x 2,00		18053
1250		18058
1500		18063
1000 x 2,50		18054
1250		18059
1500		18064
1000 x 3,00		18055
1250		18060
1500		18065

*Cold rolled sheets
Stainless,
Mirror polished no. 8, with 2 layers of 100 mic.,
Coation one side*

*Tolerances: ASTM A240/480
Certificate: EN 10204/3.1*

Dimension	Kg/pc	AISI	304
Articleno.			
2500 x 1219 x 1,00	24,50		19540
2500 x 1219 x 1,50	36,60		19541
2500 x 1219 x 2,00	48,80		19542

Hot rolled plates
 Stainless and acid proof,
 Annealed and pickled, finish 1D

Tolerance: EN 10051
 Certificate: EN 10204/3.1

Dimension	Kg/pc	EN	1.4301	1.4404
			Articleno.	Articleno.
2000 x 1000 x 3,00	48,00		05146	05147
2500 x 1250	75,00		05148	05149
3000 x 1500	108,00		05150	05151
2000 x 1000 x 4,00	64,00		05152	05153
2500 x 1250	100,00		05154	05155
3000 x 1500	144,00		05156	05157
4000 x 2000	256,00		17319	821000
2000 x 1000 x 5,00	80,00		05158	05159
2500 x 1250	125,00		05160	05161
3000 x 1500	180,00		05162	05163
4000 x 2000	320,00		17300	17320
2000 x 1000 x 6,00	96,00		05164	05165
2500 x 1250	150,00		05166	05167
3000 x 1500	216,00		05168	05169
4000 x 2000	384,00		17301	17321
2000 x 1000 x 8,00	128,00		05170	05171
2500 x 1250	200,00		05172	05173
3000 x 1500	288,00		05174	05175
4000 x 2000	512,00		17302	17322
2000 x 1000 x 10,00	160,00		05176	05177
2500 x 1250	250,00		05178	05179
3000 x 1500	360,00		05180	05181
4000 x 2000	640,00		17303	821000
2000 x 1000 x 12,00	192,00		05182	05183
2500 x 1250	300,00		05184	05185
3000 x 1500	432,00		05337	05332
4000 x 2000 x 12,00	768,00		17304	821000

Hot rolled plates
Stainless and acid proof,
Annealed and pickled, finish 1D

Tolerance: EN 10029 KL B
Certificate: EN 10204/3.1

Dimension	Kg/pc	EN	1.4301	1.4404
			Articleno.	Articleno.
2000 x 1000 x 15,00	250,00		15220	15230
2500 x 1250	390,00		15265	15271
3000 x 1500	562,00		15232	15284
4000 x 2000	988,80		15500	15501
6000 x 2000	1483,20		15600	15610
2000 x 1000 x 20,00	333,00		15221	15231
2500 x 1250	520,00		15266	15248
3000 x 1500	749,00		15247	15285
4000 x 2000	1318,40		15502	15503
6000 x 2000	1977,60		15601	15611
2000 x 1000 x 25,00	412,00		15233	05301
2500 x 1250	644,00		15267	15272
3000 x 1500	927,00		15280	15286
4000 x 2000	1648,00		15504	15505
6000 x 2000	2472,00		15602	15612
2000 x 1000 x 30,00	494,00		15277	05303
2500 x 1250	773,00		15268	15273
3000 x 1500	1112,40		15281	15287
4000 x 2000	1977,60		15506	15507
6000 x 2000	2966,40		15603	15613
2000 x 1000 x 40,00	659,20		15275	15276
2500 x 1250	1030,00		15269	15222
3000 x 1500	1483,20		15282	15288
2000 x 1000 x 50,00	824,00		15290	15291
2500 x 1250	1287,50		15292	15293
3000 x 1500	1854,00		15283	15289

Hot rolled plates
Stainless and acid proof,
Annealed and pickled

Tolerance: DIN 59220
Certificate: EN 10204/3.1

Dimension	Kg/pc	EN	1.4301	1.4306	1.4404
			Articleno.	Articleno.	Articleno.
2000 x 1000 x 3,0/ 4,5	56,00		15294	05187	05188
2500 x 1250	87,50		15296	821000	821000
3000 x 1000	84,00		14000	821000	821000
3000 x 1250	105,00		14099	821000	821000
2000 x 1000 x 4,5/ 6,0	81,00		15295	05193	05194
2500 x 1250	126,50		15297	05196	05197
3000 x 1250	152,00		15298	05199	05200
2000 x 1000 x 6,0/ 8,0	110,00		05201	50202	05203
3000 x 1000	165,00		05204	05205	05206
3000 x 1250	206,25		05207	05208	05209
3000 x 1000 x 8,0/ 10,0	207,00		05213	05214	05215
3000 x 1500 x 4,5/ 6,0	182,00		32345		